

Sri Satguru Jagjit Singh Ji

Spiritual Head of the Namdhari Sikhs (1920-2012)


"Through his support, vision and guidance, Namdhari's has emerged into a fully integrated agri business brand whilst proudly being a source of sustenance to thousands."





Seed-to-Plate Leadership







Business Verticals



FOOD & AGRI

DAIRY

FMCG


RETAIL





A truly Indian Multinational Seeds Company.

One of the largest vegetable seeds companies in India fulfilling the needs of vegetable cultivation spread over an area of 2,00,000 hectares catered by over 15,500 dealer points globally.



Namdharis Fresh SINCE 2000

India's first Global GAP certified company.



Production, export and domestic retailing of fresh Fruits & Vegetables. With access to over 5,000 acres of farms across India, maintained by 3,000 farmers, Namdhari's Fresh handles over 36,000 tons of fresh fruits and vegetables every year.





Integrated Single Origin Dairy Farm

Our Range of Dairy Products are available across various retail channels.







The final step of Farm-to-Fork concept of living, from the House of Namdhari's.



simpli namdhari's real wholesome responsible

India's only Vegetarian Omni channel Retailer.

28 Exclusive Stores across Bengaluru.





OUR OWN FARMPRINT

Spreading our roots, expanding our farms Nationally and Internationally to grow the best.

Cultivating our Legacy of Authenticity.







At a Glance

Our Presence across the entire Seeds Value Chain

Leading Vegetable Seeds Breeder, Producer and Distributor in Indian market.

Commercialized more than varieties

Production

In-house Production Capability

Seed production activity spread across 8 main locations within the country.

World Class Contract Production Capability

One of the LARGEST CONTRACT PRODUCER of seeds in India.

Strong R&D

Wide repertoire of high quality & diverse Germplasm.

In-house infrastructure to support breeding programs.

Reach

Marketing Offices across India

13 International Marketing Locations







Quality Control

Our QC Lab has ISTA accreditation since 2003.



germination genetic disease screening physical purity

Handles **50,000**Samples

Species of Agricultural and Vegetable crops 37
Flower crops





Breeding and Testing Locations

Over the decades, Namdhari Seeds has launched countless successful, superior hybrid crops across the world, each with excellent yield potential, adaptability, and resistance to disease. Our Breeding Program professionals comprise a highly dedicated and skilled team who work tirelessly to push boundaries.

We are committed to not damaging natural and productive resources, but to rejuvenate and enhance biodiversity by adapting crop rotations, green manuring, integrated pest management and avoiding the use of any chemical or synthetic sources that affect our environment



Bangladesh Egypt

Myanmar Turkey

Thailand Spain

Indonesia Mexico

Bulgaria




Breeding Programmes

30 In-house breeders





TOMATO
Designed to provide over 150 hybrids for yearly testing, out of which 3 to 5 enter pre-commercial trials.
Green house tomatoes in Mexico and Turkey.



Green chili hybrids a wide array of segments for green-fresh market. Red chili hybrids -

Red chili hybrids varieties differ in colour and pungency for red-dry market.



Developing hybrids with multiple virus resistance (YVMV, ELCV and petiole bending) with tender dark green spineless fruits.



WATERMELON
Regular size (fruit
weight 10-12kg),
tolerant to Bud
Necrosis virus
(BNV), having good
shipping qualities for
longer transport for
the domestic market.

Personal size (family size) watermelons with different rind patterns targeting the vast Middle East market.





HYBRID CORN
Tropical Corn
breeding for India.
Developing hybrids
for Sweet Corn and
Waxy Corn focused
on India and SE Asia.



MELONS

Major focus is on regular Cantaloupe (orange flesh), Harper (increased shelf life) and Galia Melons (green flesh) with good taste and aroma. Having good transport and shipping qualities.



GOURDS

Efforts to develop heat and multi virus tolerant Bitter Gourd, Bottle Gourd, Ridge Gourd, Sponge Gourd hybrids for summer cultivation.



CUCUMBER

Developing green and light green Cucumbers for various markets in India and SE Asia, with major emphasis on heat set and virus tolerance.



FLOWERS

Joint venture with a large flower seed developer in Europe.



HYBRID RICE

Breeding efforts in progress to develop:

- Early, mid and late maturity programs across India.
- Selected Rice development for certain segments.

CONTRACT PRODUCTION



WHY PRODUCE WITH US?



Intellectual Property

More than 3 decades of exhibiting high levels of business ethics, respecting IP and providing dedicated human resource and operations



Organic Seed Production

Certified by Control Union and Ecocert in organic seed production process with requirement of norms for NPOP & NOP for both open field and green house seed production



Grower Network

Dedicated human resource for contract production at all levels of hierarchy



Equal Opportunity Employer

Namdhari Seeds does not discriminate in employment practices basis Color, Religion, Gender, Age, Nationality, Sexual Orientation, Marital or Veteran status, disability or any other legally protected status



Quality Control & Certifications

Necessary seed treatment in compliance with International Statutory Regulations. Global GAP. ISTA accredited laboratory for issuing Orange international Certiticate (OIC) for seed lots, in-house facilities for seed health testing for all crops for screening major diseases



Integrated Seed Health

With pathogen-free production and ISTA/ISHI-VEG standards



Zero Child Labour

Namdhari Seeds does not tolerate child labour in any of our working places including contracted seed production fields. We conduct stringent routine audits to ensure full adherencer to this policy Our future-forward technologies and market-disrupting innovations make us the top preference for contract seed producers across the globe.



Coding for Seed Production

Centrally controlled and monitored seed coding processes in place



Infrastructure

Largest owned land bank which includes open fields, greenhouses & nethouses dedicated for contract seed production



Dedicated Production Locations

Dedicated seed production locations for the purpose of contract production



International Footprint





Domestic Marketing **Presence**


Andhra Pradesh
Bihar
Chhattisgarh
Gujarat
Haryana
Jharkhand
Karnataka
Madhya Pradesh
Maharashtra
Odisha
Punjab
Rajasthan
Tamil Nadu
Uttar Pradesh
West Bengal






NS 5002 (1068) (F1)

Determinate hybrid bearing compact oval fruit, suitable for long-distance shipping. Recommended for rainy and winter seasons, showing intermediate resistance to TyLCV.





NS 501 (F1)

An ideal hybrid suitable for tropics with tolerance to bacterial wilt and TyLCV. The determinate plants are vigorous with good foliage cover producing extraordinary yields.

Determinate Oval

Variety	Maturity (Days after sowing)	Plant type	Fruit: Unripe shoulder colour	Fruit: Mature colour	Fruit: Shape	Fruit: Weight (grams)	Fruit: Firmness	Season recommendation
NS 5002 (1068) (F1)	65-70	Determinate	Light green	Deep red	Oval - Saladette	90 - 100	Excellent	Kharif, Rabi
NS 5072 (F1)	65-70	Determinate	Light green	Deep red	Saladette	100 - 110	Excellent	Kharif, Rabi, Spring-Summer
NS 5016 (F1)	70-75	Tall Determinate	Light green	Deep red	Oval	90 -100	Excellent	Kharif, Rabi, Spring-Summer
NS 501 (F1)	65-70	Tall Determinate	Light green	Medium red	Oval - Saladette	80 - 90	Good	Kharif, Rabi


NS 585 (F1)

Acidic type hybrid bearing flat round fruits with green shoulders. An exceptional yielder with medium-late maturity showing intermediate resistance to TyLCV.



NS 962 (F1)

Prolific bearer with green shoulder, sour in taste showing intermediate resistance to TyLCV.



Determinate Round

Variety	Maturity (Days after sowing)	Plant type	Fruit: Unripe shoulder colour	Fruit: Mature colour	Fruit: Shape	Fruit: Weight (grams)	Fruit: Firmness	Season recommendation
NS 5022 (F1)	60-65	Determinate	Light green	Deep red	Flat round	90-100	Excellent	Kharif, Rabi
NS 5013 (F1)	65-70	Determinate	Green shoulder	Deep red	High round	90-100	Medium	Kharif, Rabi
NS 962 (F1)	60-65	Determinate	Green shoulder	Deep red	Round oblate	90-100	Good	Kharif, Rabi
NS 592 (F1)	55-60	Short Determinate	Green shoulder	Deep red	High round	90-100	Good	Kharif, Rabi
NS 526 (F1)	60-65	Determinate	Green shoulder	Deep red	Flat round	110-120	Excellent	Kharif, Rabi
NS 585 (F1)	70-75	Tall Determinate	Green shoulder	Deep red	Flat round	80-90	Good	Kharif, Rabi
NS 504 (F1)	55-60	Determinate	Uniform green	Deep red	Flat round	80-90	Medium	Spring summer
Swaraksha (F1)	65-70	Determinate	Light green	Deep red	Square round	100-110	Medium	Kharif, Rabi

NS 4266 (F1)

Indeterminate type
hybrid bearing round
oblate fruits with
excellent firmness.
Can withstand heat
and shows intermediate
resistance to TyLCV.




Indeterminate Round


Variety	Maturity (Days after sowing)	Plant type	Fruit: Unripe shoulder colour	Fruit: Mature colour	Fruit: Shape	Fruit: Weight (grams)	Fruit: Firmness	Season recommendation
NS 4266 (F1)	65-70	Indeterminate	Light green	Deep red	Round oblate	100-120	Excellent	Kharif, Rabi
NS 4637 (F1)	70-75	Indeterminate	Light green	Deep red	Flat round	110-130	Excellent	Kharif, Rabi



NS 295 (F1)

Widely adaptable hybrid with mid-early maturity exhibiting good shipping and keeping qualities..





NS 7057 (F1)

Early maturing hybrid with wide adaptability. Yields uniformsized fruits with good keeping quality and suitable for long-distance transportation.

Jubilee


	Variety	Maturity (Days after sowing)	Rind pattern	Fruit shape	Flesh colour	Average fruit weight (Kg)	Brix (%)
1	NS 295 (F1)	80-85	Light green with green stripes	Oblong	Crimson red	9 - 10	12-13
	NS 750 (F1)	75-80	Light green with dark green stripes	Oblong	Crimson red	8 -10	12-13
Ī	NS 777 (F1)	75-80	Light green with dark green stripes	Oblong	Crimson red	9 -10	12-13
EW	NS 7057 (F1)	80-85	Light green with dark green stripes	Oblong	Deep crimson red	7 - 9	12-13
EW	NS 7076 (F1)	80-85	Light green with bluish green stripes	Oval	Deep crimson red	6 - 8	11-12
1	NS 775 (F1)	80-85	Light green with bluish green stripes	Oblong	Crimson red	9 - 10	11-12



NS 23 (IBH) (F1) Heavy-yielding hybrid producing oblong-shaped fruits. Attractive bluish-black rind pattern, weighing 3 to 3.5 kgs with sweet granular

Icebox

Variety	Maturity (Days after sowing)	Rind pattern	Fruit shape	Flesh colour	Average fruit weight (Kg)	Brix (%)
NS 7310 (Joy) (F1)	58-60	Bluish black	Oval to Oblong	Deep crimson red	3 - 5	12-14
NS 23 (IBH) (F1)	60-65	Bluish black	Oblong	Deep crimson red	3 - 5	12-13
NS 34 (IBH) (F1)	60-65	Bluish black	Oblong	Deep crimson red	3 - 5	12-13
NS 739 (F1)	60-65	Dark green with bluish green stripes	Oval to Oblong	Deep crimson red	4 - 5	12-13
NS 7032 (F1)	60-65	Bluish black	Oblong	Deep crimson red	6 - 7	12-13
NS 7207 (F1)	60-65	Bluish black	Oblong	Deep red	3 - 4	13-14



Sugarbaby

	Variety	Maturity (Days after sowing)	Rind pattern	Fruit shape	Flesh colour	Average fruit weight (Kg)	Brix (%)
NEW	NS 7018 (F1)	80-85	Dark green with visible stripes	Round to oval	Crimson red	8 -10	13-14
	NS 200 (F1)	80-85	Dark green with visible stripes	Round to oval	Deep red	8 -10	12-13




Personal size

	Variety	Maturity (Days after sowing)	Rind pattern	Fruit shape	Flesh colour	Average fruit weight (Kg)	Brix (%)
W	Crimson Crush (F1)	55-60	Green fruit with dark green stripes	Round	Deep crimson red	2-3	13-14




Crimson sweet

Variety	Maturity (Days after sowing)	Rind pattern	Fruit shape	Flesh colour	Average fruit weight (Kg)	Brix (%)
NS 62 (F1)	85-90	Light green rind with dark green broad stripes	Oval to Oblong	Crimson red	12-13	12-13



NS 910 (F1)

Hybrid with short, vigorous plants and attractive round fruit with good netting. Flesh is orange, sweet with good texture and very tight seed cavity exhibiting long shelf-life and good transport qualities.



Cantaloupe

Variety	Maturity (Days after sowing)	Fruit shape	Flesh colour	Fruit surface	Fruit weight (Kg)	Sweetness TSS (%)
NS 910 (F1)	60-65	Round	Orange	Netted, cream	1.5 - 2	12-13

SUNNY PLUS (F1)


Excellent fruit setting with good sweetness and flavour. Attractive fruit with golden yellow rind and green flesh.



Galia

Variety	Maturity (Days after sowing)	Fruit shape	Flesh colour	Fruit surface	Fruit weight (Kg)	Sweetness TSS (%)
SUNNY PLUS (F1)	60-65	Round	Light green	Netted, yellow	1-1.5	13-14





Protected cultivation

Variety	Variety Recommended cultivation		Fruit length (cm)	Fruit colour
NS 9 (KUK) (F1)	Protected	Tall vigorous	16-18	Dark green
NS 4000 (F1)	Protected	Tall vigorous	14-16	Attractive whitish green

NS 4124 (F1)

Strong, vigorous monoecious plant with good branching and more female flowers. Fruits are uniform, green, and cylindrical with no bitterness.

Shows intermediate resistance to CMV and Downy Mildew.


Open Field Cultivation

Variety	Recommended cultivation	Plant type	Fruit length (cm)	Fruit colour
NS 4124 (F1)	Open field	Tall vigorous	20-22	Dark green with specks
NS 4147 (F1)	Open field	Tall vigorous	20-22	Light green with specks
NS 404 (F1)	Open field	Tall vigorous	26-28	Light green with specks
NS 415 (F1)	Open field	Tall vigorous	22-24	Light green with specks
NS 425 (F1)	Open field	Tall vigorous	13-15	Creamy white



NS 2560 (F1)

A dual-purpose short-length hybrid suitable for green fresh and red dry. Intermediate resistance to LCV.
Recommended for long-distance transport and exports.



NS 2701 (F1)

Dual purpose hybrid suitable for green fresh and red dry purpose. Intermediate resistance to LCV. Red dry colour retention lasts for a long time.

This hybrid is less prone to



Variety	Plant habit	Usage	Maturity (Days after transplanting)	Immature fruit colour	Mature fruit colour	Fruit length (cm)	Fruit width (cm)	Pericarp thickness	Pungency
NS 2560 (F1)	Tall spreading plant	Green fresh & Red dry	65-70	Dark green	Deep red	6-7	2.0-2.1	Thin	High (60,000 SHU)
NS 238 (F1)	Tall spreading plant	Green fresh & Red dry	65-70	Dark green	Deep red	6-7	1.0-1.1	Thin	Very high (100,000 SHU
NS 1101 (F1)	Medium tall spreading plant	Green fresh & Red dry	70-75	Dark green	Dark red	8-10	1.0-1.1	Medium thick	Very high (60,000 SHU)
NS 1701 (F1)	Tall spreading plant	Green fresh & Red dry	70-75	Dark green	Deep red	8-10	0.8-0.9	Thin	Very high (75,000 SHU)
NS 2572 (F1)	Tall spreading plant	Green fresh & Red dry	70-75	Dark green	Deep red	8-10	0.9-1.0	Thin	Very high (75,000 SHU)
NS 1701 (F1)	Tall spreading plant	Green fresh & Red dry	70-75	Light green	Dark red	8-10	0.8-0.9	Thin	Very high (75,000 SHU)
NS 2701 (F1)	Tall spreading plant	Green fresh & Red dry	65-70	Dark green	Deep red	9-10	1.1-1.2	Thin	Medium high (60,000 SHU

NS 2549 (F1)

Perfectly suitable for dry purposes Has intermediate resistance to LCV. (leaf curl virus).
Red colour in dried chili lasts for more than 12 months.



Varlety	Plant habit	Usage	Maturity (Days after transplanting)	Immature fruit colour	Mature fruit colour	Fruit length (cm)	Fruit width (cm)	Pericarp thickness	Pungency
NS 2707 (F1)	Tall erect	Red dry	70-75	Medium green	Bright red	9-10	1.0-1.1	Thin	High (80,000 SHU)
NS 2565 (F1)	Tall spreading plant	Green fresh & Red dry	65-70	Dark green	Dark red	9-10	1.4-1.6	Very thick	Medium high (55,000 SHU)
NS 2549 (F1)	Tall spreading plant	Green fresh & Red dry	65-70	Light green	Deep red	10-11	1.2-1.3	Thick	Medium high (50,000 SHU)
NS 2745 (F1)	Medium tall spreading plant	Green fresh & Red dry	60-65	Light green	Deep red	10-11	1.2-1.3	Thick	Medium high (50,000 SHU)
NS 2709 (F1)	Tall spreading plant	Green fresh & Red dry	65-70	Dark green	Deep red	11-12	1.1-1.2	Thin	Medium high (60,000 SHU)
NS 230 (F1)	Tall spreading plant	Green fresh & Red dry	65-70	Light green	Red	11-13	1.3-1.4	Medium thick	Very high (75,000 SHU)
NS 2570 (F1)	Tall spreading plant	Green fresh & Red dry	65-70	Dark green	Dark red	12-13	1.4-1.6	Very thick	Medium high (55,000 SHU)
NS 2505 (F1)	Tall spreading plant	Green fresh	60-65	Pale green	Deep red	14-15	1.3-1.4	Thick	Medium (30, 000 SHU)
NS 2401 (F1)	Tall spreading plant	Green fresh	70-75	Green	Dark red	15-16	1.9-2.0	Thick	Medium (30, 000 SHU)



NS 7801 (F1)


Medium dwarf plant type with a high level of field tolerance for YVMV and ELCV. Suitable for long-duration harvest.



NS 7772 (F1)

Excellent fruit quality, suitable for long-distance transport & exports.







NS 862 (F1)

Tender, thin attractive fruits that make it stand out amongst all other varieties.

	Varlety	Maturity (Days after Plant habit sowing)		Internodal distance	Fruit colour	Fruit length	Disease tolerance	
NEW	NS 7801 (F1)	42-45	Medium dwarf, vigorous plant	Short	Dark green	14-16	YVMV & ELCV	
NEW	NS 7803 (F1)	42-45	Medium dwarf, vigorous plant	Short	Very dark green	14-16	Intermediate resistance - YVMV & ELCV	
NEW	NS 7792 (F1)	43-47	Medium tall, vigorous plant	Medium short	Dark green	15-17	Intermediate resistance - YVMV & ELCV	
	NS 7772 (F1)	43-48	Tall, vigorous plant	Medium long	Very dark green	14-16	Intermediate resistance - YVMV & ELCV	
	NS 7774 (F1)	43-48	Tall, vigorous plant	Medium	Dark green	14-16	Intermediate resistance - YVMV & ELCV	
	NS 862 (F1)	43-48	Tall, vigorous plant	Medium long	Dark green	16-18	Intermediate resistance- YVMV & ELCV	






Early Maturity

Variety	Head shape	Maturity (Days after transplanting)	Foliage colour	Head firmness	Average head weight (grams)
(F1)Saurav	Round	55-60	Dark bluish green	Very good	1,300-1,500


NS 43 (F1)

A uniform, vigorous hybrid with green to light green foliage having good wrapper leaves. Head is very flat & light green with medium firmness and good field holding capacity. Exhibits good tolerance to heat and black rot. It is a typical tropical cabbage suited for the fresh market.



NS 183 (F1)

Bluish green in color, weighing 1.7 to 2kgs with very good field holding capacity and high level of disease tolerance. This hybrid is very uniform and matures in 60-65 days.



Mid Maturity

Variety	Head shape	Maturity (Days after transplanting)	Foliage colour	Head firmness	Average head weight (Kg)
NS 43 (F1)	Flat	60-65	Green	Good	1.8 - 2.0
NS 183 (F1)	Round to semi round	60-65	Dark bluish green	Excellent	1.8 - 2.0


NS 22 (F1)

A uniform vigorous hybrid with bluish -green foliage having good wrapper leaves. A late-season hybrid, maturing in 70 days, having a round to semi-round shape with excellent field-holding capacity..



Late Maturity

	Variety	Head shape	Maturity (Days after transplanting)	Follage colour	Head firmness	Average head welght (Kg)
	NS 22 (F1)	Round to semi round	70-75	Bluish green	Very Good	1.8 - 2.0
IEW (NS 1319 (F1)	Round to semi round	75-80	Bluish green	Excellent	2.3 - 2.5
	NS 196 (F1)	High round	75-80	Bluish green	Very Good	1.3 - 1.5






Early Temperate / Temperate

	Varlety	Maturity (Days after transplanting)	Plant habit	Curd shape	Curd colour	Average curd welght (grams)
NEW	NS 1118 (F1)	70-75	Erect	Dome	White	1,000 - 1,300
	NS 95 (F1)	80-85	Erect	Dome	Milky white	1,600 - 1,800
İ	NS 106 (F1)	80-85	Erect	Dome	Milky white	2,300 - 2,500

NS 1119 (F1)

Intermediate resistance to Black rot, extra early maturity of 45-50 days. Semi-erect in nature with excellent semi-dome, creamy white curds with good self-blanching qualities.




NS 1358 (F1)

Semi-erect plant type exhibiting intermediate resistance to Black rot, having 60-65 days maturity period. Bears dome-shaped, creamy white, compact curds.



Tropical

32	Variety	Maturity (Days after transplanting)	Plant habit	Curd shape	Curd colour	Average curd welght (grams)
NEW	NS 1119 (F1)	45-50	Semi erect	Semi dome	Creamy white	300-400
NEW	NS 1203 (F1)	55-60	Erect	Semi dome	Light creamy white	700-900
	NS 60N (F1)	55-60	Prostrate/Horizontal	Semi dome	Creamy white	500-700
	NS 135 (F1)	55-60	Semi erect	Dome	White	500-700
ŀ	NS 136 (F1)	55-60	Semi erect	Dome	Creamy white	700-900
	NS 133 (F1)	55-60	Semi erect	Dome	White	1,000-1,200
r	HIMA (OP)	55-60	Semi erect	Dome	White	700-900
10	NS 131 (F1)	60-65	Erect	Dome	White	1,000-1,200
NEW	NS 1358 (F1)	60-65	Semi erect	Dome	Creamy white	1,000-1,200
F	NS 555 (F1)	65-70	Erect	Semi dome	White	1,300-1,500
NEW	NS 1114 (F1)	65-70	Semi erect	Dome	White	1,000-1,200



NS 280 (F1)

Blocky shiny fruits
weighing about 200-220
grams with good keeping
quality turning red at maturity.
Tall & vigorous plant, best
suited for protected cultivation



NS 281 (F1)


Blocky shiny fruits
weighing about 200-220
grams with good keeping
quality turning yellow at
maturity. Tall & vigorous
plant, best suited for
protected cultivation

NS 82 (F1)

Big blocky firm fruits weighing about 240-260 grams with good keeping quality. Vigorous plant, best suitable for open field conditions.



Variety	Recommended cultivation	Maturity (Days after transplanting)	Fruit shape	Fruit colour	Average fruit weight (grams)
NS 280 (F1)	Protected	70-75	Blocky	Dark green to red	200-220
NS 281 (F1)	Protected	65-70	Blocky	Dark green to yellow	200-220
NS 82 (F1)	Open field	65-70	Big blocky	Dark green	240-260
NS 292 (F1)	Open field	70-75	Blocky	Dark green	180-200
SUPREME WONDER (F1)	Open field	70-75	Blocky	Dark green	160-180



NS 9906 (F1)

Early maturing Kuroda-type hybrid suitable for both plains and hills. It can withstand high temperatures. 16 to 18 cms length weighing approx 150 grams with deep lustrous skin and red core.



Kuroda

Variety	Root shape	Root colour	Root colour Core size		Average root weight (grams)
NS 9906 (F1)	Conical	Orange	Very small	16-18	130-150
Super Kuroda (OP)	Conical	Orange	Small	15-20	120-140


NS 9905 (F1)

A perfect cylindrical shaped, deep orange colored nantes, with good field holding capacity and attractive shiny roots.



Nantes

Variety	Root shape	Root colour	Core size	Root length (cm)	Average root weight (grams)
NS 854 (F1)	Long cylindrical	Deep orange	Small	18-20	150-170
AYESHA (F1)	Perfect cylindrical	Deep orange	Very small	18-20	140-160
NS 9905 (F1)	Perfect cylindrical	Deep orange	Very small	18-20	130-150



NS 9521 (F1)

A confined vine growth pattern with high yield promoted by increased plant population per acre. Variably, it matures between 60 to 65 days and produces mottled green fruits weighing 1.8 to 2 kgs, with an average of 4 fruits per plant.



Variety	Maturity (Days after sowing)	Fruit shape	Fruit colour	Flesh colour	Fruit weight (Kg)	Recommended sowing window	Photosensitivity
NS 9521 (F1)	60-65	Round to Flat	Mottled green	Orange yellow	1.5 - 2	Rabi (Sep-Jan), Kharif (Aug-Sep)	Insensitive
NS 9523 (F1)	75-80	Flat	Uniform Dark green	Deep Orange	4 - 5	Kharif (June-Aug), Rabi (Sep-Nov)	Sensitive
NS 9527 (F1)	70-75	Round to Flat	Mottled green	Orange yellow	4 - 5	Rabi (Sep-Jan), Summer (Feb-Mar), Kharif (Jun-Aug)	Insensitive




NS 4789 (F1)

Prolific bearing hybrid that matures in 40-45 days from sowing. Bears 40-45 cms long, green cylindrical fruits and has a high level of tolerance to Downy Mildew and viruses.



NS 4751 (F1)

Early maturing hybrid, highyielding variety bearing dark green, cylindrical fruits weighing 200 to 250 grams each.



	Varlety	Maturity (Days after sowing)	Fruit colour	Frult shape	Fruit length (cm)	Fruit weight (grams)
NEW	NS 4789 (F1)	40-45	Green	Almost cylindrical	40-45	200-250
NEW	NS 4751 (F1)	40-45	Dark green	Cylindrical	40-45	200-250
	NS 3 (F1)	40-45	Green	Almost cylindrical	45-50	250-300
	NS 474 (F1)	40-45	Dark green	Almost cylindrical	40-45	200-250
	NS 471 (F1)	40-45	Green	Cylindrical	25-30	150-200




NS 441 (F1)

Early, vigorous continuous bearing hybrid with dark green cylindrical fruits.

The flesh is white and tender with good cooking guality.



Variety	Maturity (Days after sowing)	Fruit colour	Flesh colour	Seed colour	Fruit shape	Fruit length (cm)	Average fruit weight (grams)
NS 1825 (F1)	40-45	Light green	White	White	Cylindrical	25-30	150-200
NS 441 (F1)	40-45	Dark green	White	Black	Cylindrical	25-30	200-250



NS 439 (F1)

A neavy-yielding, vigorous plant with prolific bearing. Fruits are tender & cylindrical. The rind is smooth with uniform light green color and a white flesh with slow seed maturity.

Maturity

(Days after

sowing)

50-55

40-45

40-45

40-45

45-50

Variety

KAVERI (F1)

NS 439 (F1)

NS 4830 (F1)

NS 4874 (F1)

NS 4813 (F1)





NS 4501 (F1)

Prolific bearer exhibiting great vigor with dense plant habit. Produces glossy, spiny, green, short-spindle fruits with good shipping quality.





NS 4509 (F1)

High-yielding, vigorous hybrid that starts bearing fruits in 50-55 days after sowing. Fruits are short, spindle-shaped with dark green skin having blunt tubercles on their surface.


	Variety	Maturity (Days after sowing)	Shape	Spines	Fruit colour	Fruit length (cm)	Average fruit weight (grams)
	NS 4501 (F1)	50-55	Short spindle	Sharp	Dark Green	8-10	40-50
	NS 4509 (F1)	50-55	Short spindle	Blunt	Dark Green	10-12	70-90
NEW	NS 4551 (F1)	45-50	Spindle	Blunt	Dark Green	13-15	70-90
NEW	NS 4541 (F1)	45-50	Spindle	Smooth	Dark Green	14-16	80-90
NEW	NS 4528 (F1)	50-55	Spindle	Blunt	Dark Green	20-22	120-130
NEW	NS 4519 (F1)	55-60	Spindle	Blunt	Dark green	20-24	120-140

NS 4529 (F1)

Prolific bearer exhibiting great vigor with dense plant habit. Produces glossy, spiny, green medium-long fruits with good shipping quality. Long-duration harvest



Variety	Maturity (Days after sowing)	Shape	Spines	Fruit colour	Fruit length (cm)	Average fruit weight (grams)
NS 4529 (F1)	55-60	Medium spindle	Sharp	Dark Green	16-18	120-150
NS 4503 (F1)	50-55	Medium spindle	Smooth	Dark Green	18-20	120-140
NS 435 (F1)	50-55	Medium spindle	Thick	White	18-20	175-200
NS 454 (F1)	55-60	Long spindle	Blunt	Dark Green	20-25	150-180
Parry (F1)	60-65	Long spindle	Blunt	Dark Green	25-30	150-200
NS 1024 (F1)	60-65	Long spindle	Blunt	Dark green	25-30	150-200
NS 463 (F1)	60-65	Long cone	Ribs with less bubbles	Light green	30-35	350-400



Kharif (June-Aug), Rabi (Sep-Nov)

NS 4912 (F1)

Uniform square round, green fruit turning waxy white at maturity. Weighing 5 to 6 kgs with thick, milky white, smooth flesh and high flesh recovery.

NS 4912 (F1)

NS 4915 (F1)

NS 4984 (F1)

NS 4996 (F1)

80-85

75-80


65-70

65-70

Light green

Cylindrical

24-26



1,500-2,000





Variety	Maturity (Days after sowing)	Foliage colour	Flesh colour	Root shape	Average root weight (grams)
MADHUR (OP)	110-120	Green	Dark Red	Round	100-120
NS 693 (F1)	100-110	Green	Very dark red	Round	160-170
NS 694 (F1)	100-110	Green	Very dark red	Round	170-180





Variety	Maturity (Days after sowing)	Cob length (cm)	Cob diameter (cm)	Kernel colour	Kernel rows count	Average cob weight (grams)	Brix (%)
NS 8601 (F1)	75	20-22	4-5	Golden yellow	16	350-400	14



NS 1155 (OP)


Erect, high yielding and vigorous plant (first picking can be done at 95-100 days), dark green, excellent quality pods with a minimum of 8-10 grains

NS 1100 (OP)

Dark green, slightly curved, spherical-shaped pods with wrinkled seeds exhibiting high-yielding characteristics.



	Variety	Maturity (Days after sowing)	Plant habit	Pod shape	Pod length (cm)	Pod colour	Grains per pod	Season recommendation
	NS 1155 (OP)	95-100	Erect	Slightly curved	10-12	Medium green	8-10	All states except HP - Rabi, HP - Kharif
	NS 1100 (OP)	100-105	Erect	Slightly curved	9-11	Medium green	8-10	All states except HP - Rabi, HP - Kharif
/ (/ (EARLY GOLD (OP)	50-55	Erect	Slightly curved	8-10	Medium green	7-9	All states except HP - Rabi, HP - Kharif




NS 101 (OP)

High yielding hybrid bearing pungent, dark red, globe shaped bulbs.



NS 102 (OP)

High yielding and uniform hybrid bearing light red, globe shared bulbs with medium pungency.



Variety	Maturity (Days after sowing)	Bulb shape	Bulb colour	Average bulb weight (grams)
NS 101 (OP)	120-130	Globe	Dark red	70-80
NS 102 (OP)	130-140	Globe	Light red	65-70




Surabhi (OP)

excellent yield potential. Suitable for multiple cuts with very attractive, large, shiny leaves having good aroma. It is a late-bolting variety and can be grown round the year.







NS 1501 (F1)


A superior yielding, strong vigorous variety that is well-branched, has short internodes and exhibits good disease tolerance. It bears bright yellow flowers with good flower firmness that are suitable for long transportation.



NS 1503 (F1)

A high-yielding variety suitable for long distance. This tall, vigorous plant bears medium-sized consistent double ball-shaped flowers.

These orange-colored flowers exhibit good firmness (compactness) and have good disease tolerance.



		Plant	height*(cm)	Plant s	pread* (cm)		Flowers	ize* (cm)		anting to wering*	
Variety	Season (s)	Kharif season	Rabi season	Kharif season	Rabi season	Flower colour	Kharif season	Rabi season	Kharif season	Rabi season	Avg. flower weight* (grams)
NS 1501 (F1)	Suitable for all seasons	80-90	60-70	70-75	60-65	Bright yellow	7-8	6-7	35	35	14-16
NS 1503 (F1)	Suitable for all seasons	80-90	60-70	70-75	60-65	Orange	7-8	6-7	30	30	11-13

Marketing Team India

Vice President Sales

Sanjay Patil +91 9589227134 sanjay@namdhariseeds.com

Andhra Pradesh

Y Sreedhar +91 9652422778 sreedhar@namdhariseeds.com

Bihar

Sanjay Kumar +91 9431022136 sanjay.kumar@namdhariseeds.com

Chhattisgarh & Madhya Pradesh

Yashwant Singh Rajput +91 9826125673 yashwantsingh.rajput@namdhariseeds.com

Gujarat

Dipesh Patel +91 8238665341 dipesh.patel@namdhariseeds.com

Haryana, Punjab

Jagdev Singh +91 9812059945 jagdev@namdhariseeds.com

Jharkhand

Amarendra Kumar +91 9572044413 amarendra.kumar@namdhariseeds.com

Karnataka

Manjunath T +91 9845470850 Manjunath@namdhariseeds.com

Maharashtra

Suryakant Bhonde +91 8600012271 surubhonde@namdhariseeds.com

Odisha

Jayant Dash +91 9937052821 jayant.dash@namdhariseeds.com

Rajasthan

Shaleen Chandra +91 9887047422 shaleen@namdhariseeds.com

Tamil Nadu

Mohanraj +91 9442148514 mohanraj@namdhariseeds.com

UP East

Sunil Kumar Singh +91 9839963344 sksingh@namdhariseeds.com

UP West

Brajendra Kumar +91 7579433514 brajendra@namdhariseeds.com

West Bengal (Kolkata)

Avijit Jana +91 8697650672 avijit.jana@namdhariseeds.com

West Bengal (Siliguri)

Amarendra Nath Mukherjee +91 9434744066 mukherjeean@namdhariseeds.com

Zonal Incharge (North-East)

Dambar Dahal +91 8011603438 dambar.dahal@namdhariseeds.com

Corporate Sales Incharge

Shivbilas Singh +91 9910201494 shivbilas@namdhariseeds.com

Marketing Team International

Middle East

Jordan

Munther Al Shawareb +962 3 981 996 munther@namdhariseeds.com

Iraq

Munther Al Shawareb +962 3 981 996 munther@namdhariseeds.com

Egypt

Kunal Sood +91 7355332411 egypt@namdhariseeds.com

Hesham Mostafa Farag +20 101 150141 egypt@namdhariseeds.com

Address -

Namdhari Seeds Pvt. Ltd., 11, Ahmed wash street, Almaza, Heliopolis, Cairo, EGYPT

Turkey

Kunal Sood +91 7355332411 turkey@namdhariseeds.com

Ayhan Ekici +90 242 321 1605 turkey@namdhariseeds.com Namdhari Seeds Tohumculuk Tic Ltd. STI Meydankavagi Mah, Perge Bulvari Atmaca is merkezi, 74/10 Muratpasa-Antalya/Turkey

Southeast Asia

Vietnam

D. Jebaraj Joseph +84 91 8192247 dj.joseph@namdhariseeds.com

Myanmar

Tarunvir Singh Sandhu +91 87280 00390 myanmar@namdhariseeds.com

Thailand

Tarunvir Singh Sandhu +91 87280 00390 nssthailand@namdhariseeds.com

Janjarut Saedan +66 91 072 3663 nssthailand@namdhariseeds.com

Address -

Namdhari Siam Seeds Co., Ltd. 217, MOO-3, Tambon – Kileg, Amphae-Maetang, Chiang Mai, Thailand-50150

Indonesia

Mahesh Hanji +91 99805 47352 indonesia@namdhariseeds.com

Fefy Revina +62 857 9122 7334 indonesia@namdhariseeds.com

Address-

PT Namdhari Seeds, Taman Sulfat VIII-H2, Purwantara Agung-Blingbing Malang, Indonesia-65141

South Asia

Bangladesh

Kunal Sood +91 73553 32411 kunal@namdhariseeds.com

Shahidul Islam +880 1760-300606 Shahidul @namdhariseeds.com





Terminology used in Disease Resistance:

Regarding resistance to diseases mentioned in different crops, the terminologies/symbols used in this catalogue are based on ISF decision adopted in May 2005 - 'Definition of the terms describing the reaction of plants to pests or pathogens and to abiotic stresses for the vegetable seed industry' High/standard resistance (HR*): Plant varieties that highly restrict the growth and development of the specified pest or pathogen under normal pest or pathogen pressure when compared to susceptible varieties. These plant varieties may, however, exhibit some symptoms or damage under heavy pest or pathogen pressure. Moderate/Intermediate resistance (IR*): Plant varieties that restrict the growth and development of the specified pest or pathogen but may exhibit a greater range of symptoms or damage compared to high/standard resistant varieties. Moderately/intermediately resistant plant varieties will still show less severe symptoms or damage than susceptible plant varieties when grown under similar environmental conditions and/ or pest or pathogen pressure.

Caution:

Since crops are subject to many conditions beyond the sellers control, all seeds sold by us are sold as is (Tel Quell) without any warranty expressed or implied. By acceptance of our seeds and also by use of our seeds, the purchaser agrees that any liability of ours, whatsoever in nature or theory shall be limited to the amount of the purchase price.

The crop yield and performance indicated are based on trials conducted at our research farm. Field performance is subject to agroclimatic conditions and management practices adopted by the farmers.

Seed Count & Planting Guide

Sr. No	Crop	Seeds per gram (Approx.)	Spacing	Seed Rate kg per hectare
1	Tomato	250-280 80 cm x 60 cm		0.1
2	Watermelon	25-30	200 cm x 60 cm	1
3	Muskmelon	25-30	130-150 cm x 60 cm	1.25
4	Chilli	160-180	60 cm x 45 cm	0.3
5	Capsicum	160-180	45-60 cm x 30 cm	0.50 (OP), 0.30 (F1)
6	Cauliflower	300	60 cm x 30 cm	0.3
7	Cabbage	300	60 cm x 30 cm	0.22
8	Okra	15-18	30 cm x 15 cm (OP) 60 cm x 30 cm (F1)	8-10 (OP), 5 (F1)
9	Ridge Gourd	dge Gourd 20-25 160-190 cm x 60 cm		1
10	Bottle Gourd	Bottle Gourd 15-20 180-200 cm x 60		1.25
11	Bitter Gourd	10-15	150-170 cm x 60 cm	1
12	Sponge Gourd	nge Gourd 20-25 160-170 cm x 60 cm		1
13	Carrot	700	10-15 cm x 20 cm	5
14	Cucumber	25-30	120-140 cm x 60 cm	1.25
15	Coriander	80-10	10-15 cm x 10 cm	30-40
2207	Onion 280-300		30 cm x 15 cm	8-10 (Direct sowing) 2(Transplanted)
157.75	Ash gourd	10-15	200cmx60cm	2.5
18	Sweet corn	8-10	45cm x 30cm	4-6
19	Peas	4-5	45cm x 20cm	20-30
20	Pumpkin	10-15	200cmx100cm	1-1.5
21	Beetroot	40-60	30cmx10cm	5-7

Note: The above-mentioned values vary depending on variety, climate, soil type and season.